

Triangles - Exercise 6.2

Exercise 6.2 with independently verified solutions.

CHAPTER

Triangles

RESOURCE

NCERT Exercises

SOURCE

NCERT Mathematics, Reprint 2026-27

PART 1

Verified NCERT questions and solutions

Verified NCERT questions and solutions

Solutions are checked independently and follow the supplied NCERT chapter edition.

QUESTION

Question 1

basic proportionality theorem · numerical geometry

In Figure 6.17 (i) and (ii), $DE \parallel BC$. Find EC in (i) and AD in (ii).




Figure 6-17 from the supplied NCERT chapter.

Solution

Board-exam working:

(i) In $\triangle ABC$, $DE \parallel BC$. By BPT:

$$\frac{AD}{DB} = \frac{AE}{EC}$$

Substituting AD = 1.5 cm, DB = 3 cm and AE = 1 cm:

$$\frac{1.5}{3} = \frac{1}{EC}$$

$$\frac{1}{2} = \frac{1}{EC}$$

$$EC = 2 \text{ cm}$$

(ii) Again, by BPT:

$$\frac{AD}{DB} = \frac{AE}{EC}$$

Substituting DB = 7.2 cm, AE = 1.8 cm and EC = 5.4 cm:

$$\frac{AD}{7.2} = \frac{1.8}{5.4}$$

$$\frac{AD}{7.2} = \frac{1}{3}$$

$$AD = \frac{7.2}{3} = 2.4 \text{ cm}$$

Final answer

(i) EC = 2 cm; (ii) AD = 2.4 cm.

QUESTION

Question 2

converse of BPT · parallel lines · ratios

E and F are points on sides PQ and PR respectively of $\triangle PQR$. State whether $EF \parallel QR$ in each case:

(i) $PE = 3.9$ cm, $EQ = 3$ cm, $PF = 3.6$ cm and $FR = 2.4$ cm

(ii) $PE = 4$ cm, $QE = 4.5$ cm, $PF = 8$ cm and $RF = 9$ cm

(iii) $PQ = 1.28$ cm, $PR = 2.56$ cm, $PE = 0.18$ cm and $PF = 0.36$ cm

Solution

Board-exam working:

By the converse of BPT, $EF \parallel QR$ when:

$$\frac{PE}{EQ} = \frac{PF}{FR}$$

(i)

$$\frac{PE}{EQ} = \frac{3.9}{3} = 1.3$$

$$\frac{PF}{FR} = \frac{3.6}{2.4} = 1.5$$

The ratios are unequal. Therefore, EF is not parallel to QR .

(ii)

$$\frac{PE}{EQ} = \frac{4}{4.5} = \frac{8}{9}$$

$$\frac{PF}{FR} = \frac{8}{9}$$

The ratios are equal. Therefore, $EF \parallel QR$.

(iii)

$$EQ = PQ - PE = 1.28 - 0.18 = 1.10 \text{ cm}$$

$$FR = PR - PF = 2.56 - 0.36 = 2.20 \text{ cm}$$

$$\frac{PE}{EQ} = \frac{0.18}{1.10} = \frac{9}{55}$$

$$\frac{PF}{FR} = \frac{0.36}{2.20} = \frac{9}{55}$$

The ratios are equal. Therefore, $EF \parallel QR$.

Final answer

(i) No; (ii) Yes; (iii) Yes.

QUESTION

Question 3

basic proportionality theorem · parallel lines · proof

In Figure 6.18, $LM \parallel CB$ and $LN \parallel CD$. Prove that $AM/AB = AN/AD$.




Figure 6-18 from the supplied NCERT chapter.

Solution

Board-exam working:

In $\triangle ABC$, $LM \parallel CB$. By Example 1 (the BPT result using whole sides):

$$\frac{AM}{AB} = \frac{AL}{AC} \quad \dots(1)$$

In $\triangle ADC$, $LN \parallel CD$. By the same result:

$$\frac{AN}{AD} = \frac{AL}{AC} \quad \dots(2)$$

The right-hand sides of (1) and (2) are equal.

Therefore:

$$\frac{AM}{AB} = \frac{AN}{AD}$$

Final answer

Therefore, $AM/AB = AN/AD$.

QUESTION

Question 4

basic proportionality theorem · parallel lines · proof

In Figure 6.19, $DE \parallel AC$ and $DF \parallel AE$. Prove that $BF/FE = BE/EC$.




Fig. 6.19

Figure 6-19 from the supplied NCERT chapter.

Solution

Board-exam working:

In $\triangle BAE$, $DF \parallel AE$. By BPT:

$$\frac{BD}{DA} = \frac{BF}{FE} \quad \dots(1)$$

In $\triangle BAC$, $DE \parallel AC$. By BPT:

$$\frac{BD}{DA} = \frac{BE}{EC} \quad \dots(2)$$

The left-hand sides of (1) and (2) are equal.

Therefore:

$$\frac{BF}{FE} = \frac{BE}{EC}$$

Final answer

Therefore, $BF/FE = BE/EC$.

QUESTION

Question 5

basic proportionality theorem · converse of BPT · proof

In Figure 6.20, $DE \parallel OQ$ and $DF \parallel OR$. Show that $EF \parallel QR$.




Fig. 6.20

Figure 6-20 from the supplied NCERT chapter.

Solution

Board-exam working:

In $\triangle POQ$, $DE \parallel OQ$. By BPT:

$$\frac{PE}{EQ} = \frac{PD}{DO} \quad \dots(1)$$

In $\triangle POR$, $DF \parallel OR$. By BPT:

$$\frac{PF}{FR} = \frac{PD}{DO} \quad \dots(2)$$

From (1) and (2):

$$\frac{PE}{EQ} = \frac{PF}{FR}$$

Thus E and F divide sides PQ and PR in the same ratio.

Therefore, $EF \parallel QR$ by the converse of BPT.

Final answer

Therefore, $EF \parallel QR$.

QUESTION

Question 6

basic proportionality theorem · converse of BPT · proof

In Figure 6.21, A, B and C are points on OP, OQ and OR respectively such that $AB \parallel PQ$ and $AC \parallel PR$. Show that $BC \parallel QR$.




Figure 6-21 from the supplied NCERT chapter.

Solution

Board-exam working:

In $\triangle OPQ$, $AB \parallel PQ$. By BPT:

$$\frac{OA}{AP} = \frac{OB}{BQ} \quad \dots(1)$$

In $\triangle OPR$, $AC \parallel PR$. By BPT:

$$\frac{OA}{AP} = \frac{OC}{CR} \quad \dots(2)$$

From (1) and (2):

$$\frac{OB}{BQ} = \frac{OC}{CR}$$

Therefore B and C divide OQ and OR in the same ratio.

Hence BC $\parallel$ QR by the converse of BPT.

Final answer

Therefore, BC $\parallel$ QR.

QUESTION

Question 7

basic proportionality theorem · midpoint theorem · proof

Using Theorem 6.1, prove that a line drawn through the midpoint of one side of a triangle parallel to another side bisects the third side.

Solution

Board-exam working:

Given: In $\triangle ABC$, D is the midpoint of AB. Through D, draw DE $\parallel$ BC meeting AC at E.

Since D is the midpoint of AB, AD = DB. Therefore:

$$\frac{AD}{DB} = 1$$

Because DE $\parallel$ BC, BPT gives:

$$\frac{AD}{DB} = \frac{AE}{EC}$$

Therefore:

$$\frac{AE}{EC} = 1$$

$$AE = EC$$

Hence E is the midpoint of AC, and the parallel line bisects the third side.

Final answer

The line parallel to one side bisects the third side.

QUESTION

Question 8

converse of BPT · midpoint theorem · proof

Using Theorem 6.2, prove that the line joining the midpoints of any two sides of a triangle is parallel to the third side.

Solution

Board-exam working:

Given: In $\triangle ABC$, D and E are the midpoints of AB and AC respectively.

Since D is the midpoint of AB, $AD = DB$. Therefore:

$$\frac{AD}{DB} = 1$$

Since E is the midpoint of AC, $AE = EC$. Therefore:

$$\frac{AE}{EC} = 1$$

Thus:

$$\frac{AD}{DB} = \frac{AE}{EC}$$

Therefore, DE ∥ BC by the converse of BPT.

Final answer

The segment joining the two midpoints is parallel to the third side.

QUESTION

Question 9

AA similarity · trapezium · diagonals · proof

ABCD is a trapezium in which AB ∥ DC, and its diagonals intersect at O. Show that AO/BO = CO/DO.

Solution

Board-exam working:

Consider $\triangle AOB$ and $\triangle COD$.

$\angle AOB = \angle COD$ because they are vertically opposite angles.

$\angle ABO = \angle CDO$ because AB ∥ DC and BD is a transversal.

Therefore, $\triangle AOB \sim \triangle COD$ by AA similarity, with $A \leftrightarrow C$, $O \leftrightarrow O$ and $B \leftrightarrow D$.

Corresponding sides are proportional:

$$\frac{AO}{CO} = \frac{BO}{DO}$$

Rearranging:

$$\frac{AO}{BO} = \frac{CO}{DO}$$

Final answer

Therefore, $AO/BO = CO/DO$.

QUESTION

Question 10

SAS similarity · trapezium · converse · proof

The diagonals of quadrilateral ABCD intersect at O such that $AO/BO = CO/DO$. Show that ABCD is a trapezium.

Solution

Board-exam working:

Given:

$$\frac{AO}{BO} = \frac{CO}{DO}$$

Cross multiplying:

$$AO \times DO = BO \times CO$$

Dividing by $CO \times DO$:

$$\frac{AO}{CO} = \frac{BO}{DO} \quad \dots(1)$$

Also, $\angle AOB = \angle COD$ because they are vertically opposite angles. $\dots(2)$

From (1) and (2), $\triangle AOB \sim \triangle COD$ by SAS similarity, with $A \leftrightarrow C$ and $B \leftrightarrow D$.

Therefore, $\angle ABO = \angle CDO$ as corresponding angles.

These are alternate interior angles on transversal BD, so $AB \parallel DC$.

Hence ABCD has one pair of opposite sides parallel and is a trapezium.

Final answer

Therefore, $AB \parallel DC$ and ABCD is a trapezium.